



MADE IN FRANCE

MMA



TIG



DENT PULLER



PLASMA



MIG



2011_A



www.ims-welding.com
JBDC SAS - France

Welding Hightech



Ref. 015890



Ref. 031241



Ref. 015845



Ref. 015975



Kit torches TIG (valve)



IMS 1300 IMS 1305 IMS 1905	IMS 1600 IMS 1700	Ref. 044425
IMS 2000 FV, IMS TRI IMS 250T / CEL		Ref. 044401



Ref. 017108



Ref. 031692



NEW

No accessories Ref. 010109

250A
400V
3 ph



NEW


CELLULOSIC
ELECTRODE

No accessories Ref. 010123



NORMES EUROPEENNES
EUROPEAN STANDARDS
EUROPAISCHE NORM
NORMAS EUROPEAS
EUROPESE NORM

Protected & compatible
POWER GENERATOR
(+/- 15%)



CELLULOSIC
ELECTRODE

	 50/60 HZ V	 A	 10A ... :	 20°C For normal use	 Ø mm	 EN 60974-1 (40°C) I _A (60%) X _(I₂ max)		 U ₀	 U _{0cv} START VOLTAGE V	 mm ² cable	 IP	 cm	 kg	
IMS 1300	230V	16	130A	55% @ 115 A	1,6>3,2	45	5	80	80	10/25	16	21	40x15x32	3,5
IMS 1305	230V	16	130A	60% @ 115 A	1,6>3,2	40	10	76	80	10/25	16	21	41x16x33	4,2
IMS 1600	230V	16	160A	60% @ 160 A	1,6>4	85	14	75	80	10/25	25	21	42x17x37	4,2
IMS 1700	230V	16	160A	65% @ 160 A	1,6>4	90	19	72	80	10/25	25	23	42x17x37	4,6
IMS 1905 PFC	230V	16	160A	85% @ 160 A	1,6>4	120	28	67	85	10/25	25	23	42x17x37	7,9
IMS 2000 FV	110V	32	120A	40% @ 200 A	1,6>5	85	24	67	85	35/50	35	23	43x26x36	7,9
	230V	16	200A			120	20							
IMS TRI	400V - 3ph	16	250A	50% @ 200 A	1,6>5	120	15	66	80	35/50	35	23	15,5x40x31	8,6
IMS 250T / CEL	400V - 3ph	16	250A	80% @ 250 A	1,6>5	180	25	100	100	35/50	35	23	21x42x32	18

Kit MMA Assembled / 300A
IMS TRI - IMS 250T / CEL
Ref. 047341



DENT PULLER MADE IN FRANCE

Ref. 019355



Ref. 019362



Ref. 051348

Ref. 051331

IMS SPOT 27/2
IMS SPOT 27/4
Ref. 050624

	50/60 Hz V	A	mm ²	I _{RMS} 3% A	I ₂ MAX A	U ₀ V	cm	kg
IMS SPOT 27/2	230V	25	70	2700	3500	5,8	36x26 x23,5	27
IMS SPOT 27/4	400V	16	70	2700	3500	5,8	36x26 x23,5	27
			SYNERGIC	AUTOMATIC detection	SEPERATE Cable Gun			
IMS SPOT 27/2	OK	OK	•	•	•			
IMS SPOT 27/4	OK	OK	•	•	•			

TIG MADE IN FRANCE

CHOOSE YOUR PACKAGE

	NO ACCESSORIES	WITH ACCESSORIES
TIG 161 DC HF	011328	016330 (SR 17)
TIG 161 DC HF Cage	—	011311 (SR 17)
TIG 200 HF DV	011380	016397 (SR 17)
TIG 201 AC/DC HF	011717	011724 (SR 26)
TIG 202 AC/DC HF	—	011915 (SR 20HD)

200A



Easy PULSE

Accessories

EARTH CABLE

Ref.	Amp	Ø mm ²
043763	10/25	250A 3 m 25
043749	35/50	300A 3 m 35
043756	35/50	500A 5 m 50

TROLLEYS




Ref. 015678

Ref. 041288

Easy PULSE

160A



	50/60 HZ V	A	I ₂ 10A ... :	TIG X _{IMS} 20°C For normal use	U ₀ V	IP	cm	kg
IMS TIG 161 DC HF IMS TIG 161 DC HF Cage	230 • 1ph	16	160A	55% @ 160 A	70	23	14 x 37 x 30 20 x 43 x 34	9,3 12,5
IMS TIG 200 HF DV	230 • 1ph 110 • 1ph	13 32	200A 120A	46% @ 190 A 38% @ 190 A	76	23	42 x 15 x 31	10
IMS TIG 201 AC/DC HF IMS TIG 202 AC/DC HF	230 • 1ph	16	AC: 200A DC: 160A	32% @ 200 A 47% @ 160 A	70	23	20 x 39 x 35,5	17

Special Alu

200A



